wentronic

PRODUCT **NEWS**

10/2024





Lightning USB-A Supersoft Textile Cable with Metal Plugs

extra-robust, MFi-certified charging and syncing cable for Apple iPhone/iPad





Features

Strong protection combined with full power: Thanks to its highly flexible silicone and textile cover, the Lightning cable defies all the rigours of everyday life and when travelling. With this 60-W fast charger, cable breakage and energy shortages are a thing of the past.

Robust charging and data cable with a textile-coated silicone sheath for maximum flexibility and efective protection against cable breakage

The iPhone charger cable provides super-fast charging with max. 60 W and high-speed data transfer at up to 480 Mbit/s

The MFi-certified USB cable with Apple Lightning connector charges iOS devices such as Apple iPhone, iPad, iPod or AirPods

The reinforced metal connectors with kink protection are designed for over 10,000 bending cycles, making the Lightning cable extremely durable

The braided textile cover of the Goobay USB-A charging cable is pleasant to the touch and gentle on sensitive surfaces

black

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	74485	4040849744853	17.99 €	400	1	8.50 cm	7.00 cm	2.00 cm	0.020 kg
• exp. from WEEK 44	1.00 m	74503	4040849745034	18.99€	400	1	10.00 cm	7.50 cm	2.00 cm	0.026 kg
exp. from WEEK 44	2.00 m	74504	4040849745041	20.99€	240	1	10.00 cm	9.00 cm	2.00 cm	0.059 kg
• exp. from WEEK 44	3.00 m	74509	4040849745096	22.99 €	160	1	11.00 cm	10.00 cm	2.50 cm	0.091 kg

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	74510	4040849745102	17.99€	400	1	10.00 cm	7.00 cm	1.00 cm	0.020 kg
• exp. from WEEK 44	1.00 m	74511	4040849745119	18.99€	400	1	10.00 cm	8.00 cm	1.00 cm	0.026 kg
exp. from WEEK 44	2.00 m	74512	4040849745126	20.99€	240	1	10.00 cm	9.00 cm	2.00 cm	0.059 kg
exp. from WEEK 44	3.00 m	74513	4040849745133	22.99€	160	1	11.00 cm	9.00 cm	2.50 cm	0.089 kg





Lightning USB-C™ Supersoft Textile Cable with Metal Plug

extra-robust, MFi-certified charging and syncing cable for Apple iPhone/iPad





Features

Strong protection combined with full power: Thanks to its highly flexible silicone and textile cover, the Lightning cable defies all the rigours of everyday life and when travelling. With this 60-W fast charger, cable breakage and energy shortages are a thing of the past.

Robust charging and data cable with a textile-coated silicone sheath for maximum flexibility and efective protection against cable breakage

The iPhone charger cable provides super-fast charging with max. 60 W and high-speed data transfer at up to 480 Mbit/s

The MFi-certified USB cable with Apple Lightning connector charges iOS devices such as Apple iPhone, iPad, iPod or AirPods

The reinforced metal connectors with kink protection are designed for over 10,000 bending cycles, making the Lightning cable extremely durable

The braided textile cover of the Goobay USB-C™ charging cable is pleasant to the touch and gentle on sensitive surfaces

black

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	74514	4040849745140	18.49 €	400	1	9.00 cm	8.00 cm	1.50 cm	0.0218 kg
• exp. from WEEK 44	1.00 m	74515	4040849745157	19.49 €	400	1	9.50 cm	7.00 cm	2.00 cm	0.024 kg
exp. from WEEK 44	2.00 m	74516	4040849745164	21.49 €	240	1	10.00 cm	9.00 cm	2.30 cm	0.058 kg
• exp. from WEEK 44	3.00 m	74517	4040849745171	23.49 €	160	1	11.50 cm	10.00 cm	2.50 cm	0.089 kg

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	74518	4040849745188	18.49€	400	1	10.00 cm	7.00 cm	1.00 cm	0.017 kg
• exp. from WEEK 44	1.00 m	74519	4040849745195	19.49 €	400	1	10.00 cm	8.00 cm	1.00 cm	0.024 kg
• exp. from WEEK 44	2.00 m	74520	4040849745201	21.49 €	240	1	10.00 cm	9.00 cm	2.00 cm	0.057 kg
exp. from WEEK 44	3.00 m	74521	4040849745218	23.49 €	160	1	11.00 cm	9.00 cm	2.50 cm	0.089 kg





USB-C™ to USB-A Supersoft Textile Cable with Metal Plugs

elegant and extra-robust connection cable for devices with USB-A or USB-C™ connector





Features

Strong protection combined with full power: Thanks to its highly flexible silicone and textile cover, the USB cable defies all the rigours of everyday life and when travelling. With this 60 W fast charger, cable breakage and energy shortages are a thing of the past.

Robust charging and data cable with a textile-coated silicone sheath for maximum flexibility and efective protection against cable breakage

The USB-C™ charging cable provides super-fast charging with max. 60 W and high-speed data transfer at up to 480 Mbit/s

The reinforced metal connectors with kink protection are designed for over 10,000 bending cycles, making the USB-C[™] to USB-C[™] charging cable extremely durable

The braided, durable textile jacket of the USB extension has a pleasant feel and is gentle on sensitive surfaces

The USB cable is compatible with smartphones, tablets or laptops from common manufacturers and also supports the charging function of the Apple MacBook

black

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	74525	4040849745256	4.99 €	400	1	8.00 cm	7.00 cm	1.50 cm	0.019 kg
exp. from WEEK 44	1.00 m	74526	4040849745263	5.99 €	400	1	8.00 cm	7.00 cm	1.50 cm	0.027 kg
exp. from WEEK 44	2.00 m	74527	4040849745270	7.99 €	240	1	11.00 cm	9.00 cm	2.00 cm	0.059 kg
exp. from WEEK 44	3.00 m	74528	4040849745287	11.99 €	160	1	12.00 cm	9.00 cm	2.50 cm	0.090 kg

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	74529	4040849745294	4.99 €	400	1	8.00 cm	7.00 cm	1.50 cm	0.019 kg
• exp. from WEEK 44	1.00 m	74530	4040849745300	5.99€	400	1	8.50 cm	8.00 cm	2.20 cm	0.026 kg
• exp. from WEEK 44	2.00 m	74531	4040849745317	7.99 €	240	1	10.00 cm	8.50 cm	2.50 cm	0.059 kg
• exp. from WEEK 44	3.00 m	74532	4040849745324	11.99 €	160	1	12.00 cm	9.00 cm	2.50 cm	0.090 kg





USB-C™ Supersoft Textile Cable with Metal Plugs

elegant and extra-robust connection cable for devices with USB-C™ connector





Features

Strong protection combined with full power: Thanks to its highly flexible silicone and textile cover, the USB cable defies all the rigours of everyday life and when travelling. With this 60 W fast charger, cable breakage and energy shortages are a thing of the past.

Robust charging and data cable with a textile-coated silicone sheath for maximum flexibility and efective protection against cable breakage

The USB-C™ charging cable provides super-fast charging with max. 60 W and high-speed data transfer at up to 480 Mbit/s

The reinforced metal connectors with kink protection are designed for over 10,000 bending cycles, making the USB-C[™] to USB-C[™] charging cable extremely durable

The braided, durable textile jacket of the USB extension has a pleasant feel and is gentle on sensitive surfaces

The USB cable is compatible with smartphones, tablets or laptops from common manufacturers and also supports the charging function of the Apple MacBook

black

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 44	0.50 m	73952	4040849739521	5.99€	400	1	7.00 cm	8.00 cm	1.60 cm	0.017 kg
exp. from WEEK 44	1.00 m	73953	4040849739538	6.99 €	400	1	9.00 cm	7.50 cm	2.10 cm	0.024 kg
exp. from WEEK 44	2.00 m	73954	4040849739545	8.99 €	240	1	10.50 cm	8.50 cm	2.10 cm	0.057 kg
• exp. from WEEK 44	3.00 m	73955	4040849739552	12.49 €	160	1	10.00 cm	11.00 cm	2.20 cm	0.089 kg

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	0.50 m	70192	4040849701924	5.99€	400	1	10.00 cm	10.00 cm	1.50 cm	0.017 kg
available	1.00 m	70193	4040849701931	6.99€	400	1	10.00 cm	10.00 cm	1.70 cm	0.025 kg
available	2.00 m	70194	4040849701948	8.99€	240	1	16.00 cm	10.00 cm	2.10 cm	0.060 kg
available	3.00 m	70195	4040849701955	12.49 €	160	1	16.00 cm	12.00 cm	2.10 cm	0.091 kg





USB-C™ Cable with Textile Sheath, USB4™, 240 W, 40 Gbit/s, Power Delivery

USB-C™ connector > USB-C™ connector





Features

240 W, made possible by Power Delivery (EPR), turn the USB cable into the key power supply for high-performance laptops, docking stations and other energy-intensive multimedia devices

Up to 40 Gbit/s ensure lightning-fast data transfer - making the USB-C[™] cable 8x faster than USB 3.0 and perfect for NVMe hard drives, HD movies, series, music and photos

The cable supports ultra-high resolutions of up to 8K @ 60 Hz/ 4K @ 120 Hz on single monitors and 4K @ 60 Hz when the signal is split between two monitors via a hub

Perfect for streaming HD videos to external monitors, TVs or projectors, e.g. from smartphones, notebooks, tablets and other host devices

The most flexible USB cable to date: Enables data tunneling from DisplayPort™ 2.1 and PCle™ 4.0 and can be connected directly to ports with Thunderbolt™ 4 or Thunderbolt 3™

Supports USB-C™ ports with DisplayPort™ Alt Mode for highdefinition video transfers and is backwards compatible with USB 3.2, 3.1 and 3.0 (USB-C™)

USB4™ is compatible with high-end gaming components, e.g. the Razer Blade 18, Corsair Voyager, Apple Studio Display or AMD Ryzen processors (Zen 3+, Zen 5)

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 43	0.50 m	74210	4040849742101	15.99€	250	1	11.00 cm	11.00 cm	1.00 cm	0.033 kg
• exp. from WEEK 43	1.00 m	74211	4040849742118	17.99 €	200	1	14.00 cm	13.00 cm	1.50 cm	0.052 kg
• exp. from WEEK 43	1.50 m	74212	4040849742125	19.99€	200	1	15.00 cm	12.50 cm	1.20 cm	0.070 kg
• exp. from WEEK 43	1.80 m	74213	4040849742132	21.99 €	160	1	15.00 cm	17.00 cm	1.00 cm	0.093 kg





USB 3.0 Hard Drive Adapter for IDE and SATA

adapter set for HDD and SSD hard drives, CD drives and DVD drives, incl. power supply unit and connection cable







Features

Compact adapter for connecting an IDE, EIDE or SATA hard drive to a PC via USB

Easily connect built-in hard disks to host devices via USB-A - without the need to mount them in a desktop PC or hard drive enclosure

The SATA USB adapter is perfect for data backup, data recovery or for testing hard drives and CD/DVD drives

With the adapter, connected SSD hard drives achieve a data transfer rate of up to 248.5 Mbit/s

Integrated status LEDs indicate the power supply and data activity of the respective ports

Incl. USB 3.0 type A to type B cable for a data rate of up to 5 Gbit/s, backwards compatible with USB 2.0

Incl. 12 V power supply unit for external power supply and Molex cable for connecting IDE/SATA drives (2.5 inch and 3.5 inch)









Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
exp. from WEEK 44	72013	4040849720130	34.99 €	40	1	16.50 cm	13.00 cm	5.50 cm	0.275 kg





Tracker eTag, Compatible with Apple's Find My

luggage and key finder for the Find My app, in matt white design





Features

Controlled via iPhone, iPad or Mac, the tracking device reliably helps you to locate personal items – attached to your luggage, keys or wallet, as well as your car or bike

For an increased sense of security: Placed in clothing or a rucksack, the eTag itself tracks the location of children, family or friends

Also handy for locating pets such as dogs or cats – simply attach the mini tracker to the collar

Reliable and convenient: Exclusively compatible with the Find My location app from Apple, which precisely determines the location of the eTag via Bluetooth

If the tag is within range, the tracker's ringtone can optionally be triggered via the app

With its compact size of 37 x 9 mm and feather-light weight of 9 g, the car tracker is barely larger than the Apple AirTag and just as light

Includes red silicone tag and metal ring, powered by CR2032 button cell (included, replaceable)

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	74792	7640166329251	19.90 €	80	1	9.50 cm	8.50 cm	3.50 cm	0.084 kg





Wireless Audio Adapter

Bluetooth adapter with 2x 3.5 mm jack plugs: 1x mono, 1x stereo







Features

2in1 adapter for connecting Bluetooth headphones to aeroplane audio, TVs, laptops, portable games consoles, fitness devices, etc.

Perfect for enjoying in-flight entertainment (IFE) via your own headphones or earphones on the plane - easily and completely wirelessly

Full flexibility: Depending on the plane setup, one or two of the jack plugs are folded out and connected to the audio output of the IFE

With a runtime of up to 20 hours per charge, the battery even offers enough power for long-haul flights (capacity: 270 mAh)

High compatibility: the in/out switch switches from receive to transmit, e.g. to send audio signals from the smartphone to the car radio or Bluetooth speakers

The compact format of $42 \times 42 \times 14.6$ mm makes the Bluetooth adapter the perfect travelling companion and fits in any pocket

1x USB-C™ input for charging the adapter (charging cable USB-C™ to USB-A included)









Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	74794	7640166327738	49.90 €	20	1	9.50 cm	8.50 cm	3.50 cm	0.102 kg





Power Bank Reload 20 PD 65 W | 100 W

handy, portable charger with Power Delivery and Quick Charge for fast charging mode





Features

Ideal for charging 3x powerful devices in parallel via 2x USB-C™ and 1x USB-A with up to 65 W | 100 W, e.g. laptop, smartphone, tablet or headphones such as Apple AirPods

Power Delivery (USB-C™) and Quick Charge (USB-A) enable up to 4x faster charging of the power bank and connected devices compared to conventional power banks

With an excellent output of 65 W | 100 W, the USB-C™ power bank is the perfect companion for mobile life, on the go and when travelling

The status display with four LEDs reliably indicates the charging status of the USB power bank

Recharging takes place via the combined USB-C™ input/output, e.g. by connecting to a USB charger or laptop (USB-C™ cable included, 30 cm)

The universal USB ports make it suitable for devices from many manufacturers, e.g. Samsung Galaxy, Xiaomi, Lenovo or Huawei as well as for Apple iPhone or iPad with adapter cable

Availability		Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	65 W	74795	7640166329060	89.90 €	20	1	19.00 cm	9.50 cm	3.00 cm	0.434 kg
available	100 W	74796	7640166329084	99.90 €	20	1	19.00 cm	9.50 cm	3.00 cm	0.459 kg







portable charger and smartphone stand combined into one





Features

Mini power bank that charges in fast charging mode with up to 18.5 W (USB Power Delivery) and also serves as a smartphone stand

Perfect for parallel charging and video calls, music or film entertainment on the smartphone - completely flexible in portrait or landscape format

Wireless travelling: the integrated USB-C™ plug connects smartphones, tablets or earphones such as the Apple AirPods directly to the power bank

Compact and lightweight, the USB power bank is the perfect travel essential and fits in any bag

With 5000 mAh, the power bank offers enough capacity to fully charge a smartphone or tablet once

The power bank is charged via the integrated USB- C^{TM} plug (Power Delivery), e.g. via USB charger, or via the USB- C^{TM} port (charging cable USB- C^{TM} to USB-A included, 30 cm)

Compatible with USB-C™ devices and smartphones from popular manufacturers, e.g. Apple iPhone 15, Samsung Galaxy, Xiaomi, Huawei or Google

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	74797	7640166329565	39.90 €	20	1	16.00 cm	9.50 cm	3.00 cm	0.162 kg





Travel Adapter MUV USB AC PD

45 W | 65 W, 1x USB-C[™] and 1x USB-A charger plus international mains plugs for unearthed, 2-pin devices





Features

Charging adapter with 1x USB-C[™] and 1x USB-A for full flexibility on the go and on holiday: ideal for USB devices such as laptops, smartphones, tablets, power banks, cameras, smartwatches or e-readers

Multifunctional power: The adapter enables high-speed charging at up to 45 W \mid 65 W via USB-C^M with Power Delivery as well as parallel charging of two USB devices

Compact universal travel adapter with socket input for electrical devices in Europe (Europlug type C), UK (type G), USA/Japan (type A) or Australia/China (type I)

On the output side, 4 sliding plugs fold out the appropriate mains plug for Europe (Europlug), UK, USA/Japan or Australia/China

Max. load: 2.5 A, input voltage: $100 - 250 \, \text{V}$ (AC), output depending on input voltage: $250 - 625 \, \text{W}$

The European plug adapter has a replaceable fuse (type T 2.5 A) and is supplied with a charging cable (USB-C™ to USB-C™, 1.6 m)







Availability		Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	45 W	74798	7640166328292	64.90 €	20	1	11.00 cm	10.50 cm	7.00 cm	0.286 kg
available	65 W	74799	7640166328308	79.90 €	20	1	11.00 cm	10.50 cm	7.00 cm	0.304 kg





Travel Adapter PRO Light USB AC45PD

45 W, 1x USB-C™ and 1x USB-A charger plus international mains plugs for 2- and 3-pin devices





Features

Charging adapter with 1x USB-C[™] and 1x USB-A for full flexibility on the go and on holiday: ideal for USB devices such as laptops, smartphones, tablets, power banks, cameras, smartwatches or e-readers

Multifunctional power: The adapter enables high-speed charging at up to 45 W via USB-C™ with Power Delivery and parallel charging of two USB devices plus one electrical device

Compact universal travel adapter with socket input for electrical appliances in Europe (safety plug type E/F) and adapter top for UK (type G), USA/Japan (type A) or Australia/China (type I)

On the output side, 4 sliding plugs fold out the appropriate mains plug for Europe (safety plug), UK, USA/Japan or Australia/China

Max. load: 7 A, input voltage: 100 - 250 V (AC), power depending on input voltage: 700 - 1750 W

The European plug adapter has a replaceable fuse (type T 7 A) and is supplied with a charging cable (USB-C™ to USB-C™, 1.6 m)



Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75253	7640166329107	74.90 €	20	1	11.50 cm	10.50 cm	7.00 cm	0.326 kg





Travel Adapter World USB Charger AC45PD

45 W, 1x USB-C[™] and 1x USB-A charger for international mains connections (unearthed, 2-pin)







Features

Charging adapter with 1x USB-C[™] and 1x USB-A for full flexibility on the go and on holiday: ideal for USB devices such as laptops, smartphones, tablets, power banks, cameras, smartwatches or e-readers

Multifunctional power: The adapter enables high-speed charging at up to 45 W via USB-C™ with Power Delivery as well as parallel charging of two USB devices

On the output side, 4 sliding plugs fold out the appropriate mains plug for Europe (Europlug type C), UK (type G), USA/Japan (type A) or Australia/China (type I)

Its broad compatibility makes the international travel adapter the perfect companion in e.g. Italy, Switzerland, Brazil, Scandinavia, Thailand, Vietnam or the United Arab Emirates (UAE)

Max. load: 1.25 A, input voltage: 100 - 250 V (AC)

The European plug adapter is supplied with a charging cable (USB- C^{TM} to USB- C^{TM} , 1.6 m)

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75254	7640166328278	59.90€	20	1	92.00 cm	156.00 cm	68.00 cm	0.220 kg





Travel Adapter World USB Charger AC65PD

65 W, 1x USB-C[™] and 1x USB-A charger for international mains connections (unearthed, 2-pin)





Features

Charging adapter with 1x USB-C[™] and 1x USB-A for full flexibility on the go and on holiday: ideal for USB devices such as laptops, smartphones, tablets, power banks, cameras, smartwatches or e-readers

Multifunctional power: The adapter enables high-speed charging at up to 65 W via USB-C™ with Power Delivery as well as parallel charging of two USB devices

On the output side, 4 sliding plugs fold out the appropriate mains connection plug for Europe (Europlug type C), UK (type G), USA/Japan (type A) or Australia/China (type I)

Its broad compatibility makes the international travel adapter the perfect companion in e.g. Italy, Switzerland, Brazil, Scandinavia, Thailand, Vietnam or the United Arab Emirates (UAE)

Max. load: 1.5 A, input voltage: 100 - 250 V (AC)

The European plug adapter is supplied with a charging cable (USB- C^{TM} to USB- C^{TM} , 1.6 m)







Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75255	7640166328285	74.90 €	20	1	15.80 cm	9.50 cm	7.00 cm	0.237 kg






Travel Adapter Europe to Switzerland, Italy and Brazil

for all earthed and unearthed devices (2- and 3-pole)







Features

Travel adapter for connecting electrical devices with safety plugs (type F) to sockets in Switzerland, Italy, Brazil and 12 other countries

Full flexibility: Ideal for powerful devices such as laptops or travel hairdryers, but also for adapters for smartphones, tablets, power banks, cameras, smartwatches or e-readers

Max. load: 10 A, input voltage: 100 – 250 V (AC), output depending on input voltage: 1000 – 2500 W

The European plug adapter has a replaceable fuse (type T 10 A)

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
• exp. from WEEK 42	75256	7640166324386	14.90 €	20	1	105.00 cm	175.00 cm	58.00 cm	0.089 kg





6LR61/6LP3146/9 V Block (PX1604) Battery, 10 pcs. in box

alkaline manganese battery, 9 V





Features

Procell 9 V batteries PX1604 are the official successors of the Duracell "Constant" Series.

The 9 V batteries have a long service life and were specially designed for professional use.

Design, safety, production and acceptance follow the strict battery standards.

9 V batteries are suitable for torches, safety devices such as gas and smoke detectors.

Procell alkaline batteries 6LR61/6LP3146 are characterised by excellent corrosion resistance.

The 9 V battery guarantees reliable performance even after 7 years of storage.

Availability	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75301	5000394137097	24.95 €	52708	5	1	13.00 cm	5.00 cm	3.50 cm	0.502 kg





LR14/C (Baby) (PX1400) Battery, 10 pcs. in box

alkaline manganese battery, 1.5 V





Features

Procell C batteries PX1400 are the official successors of the Duracell "Constant" Series.

The type C size batteries have a long service life and have been specially designed for professional use.

Design, safety, production and acceptance follow the strict battery standards.

Batteries are suitable for electronic toys, clocks and torches.

Unused and packaged Procell batteries stay fresh and charged for up to 7 years.

The batteries R14 are resistant to heat and cold.

The C battery has excellent corrosion resistance.

Availability	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75302	5000394136977	17.94 €	52706	5	1	13.00 cm	5.50 cm	6.00 cm	0.723 kg





LR20/D (Mono) (PX1300) Battery, 10 pcs. in box

alkaline manganese battery, 1.5 V





Features

Procell D batteries PX1300 are the official successors of the Duracell "Constant" Series.

The type D size batteries have a long service life and have been specially designed for professional use.

Design, safety, production and acceptance follow the strict battery standards.

Type-D batteries are suitable for electronic toys, clocks and torches.

Unused and packaged Procell batteries stay fresh and charged for up to 7 years.

The batteries R20 are resistant to heat and cold.

The D battery has excellent corrosion resistance.

Availability	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75303	5000394137011	24.95 €	52707	5	1	6.00 cm	16.70 cm	6.80 cm	1.398 kg





VARTA LCD Digital Battery Tester

digital battery tester for batteries, rechargeable batteries and button cells





Features

Easy-to-use, precise universal battery tester from VARTA with a large LC display

Compatible with AAA (triple-A), AA (double-A), C (Baby) and D (Mono) formats with 1.2 V and 1.5 V as well as 9 V batteries (NiMH, alkaline) and button cells with 1.2 V, 1.5 V or 3.0 V

Printed with a handy voltage table that translates the charge status of the currently inserted battery type

The holding mechanism on the top offers a simple way to insert all compatible battery sizes into the battery checker

Equipped with a slide switch for safe switching on and off

Incl. 2x LR44 button cells for powering the small battery tester

Dimensions: 3.99 x 1.55 x 8.99 cm

Availability	Item no.	EAN	RRP	Previous	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
available	75305	4008596073849	8.98 €	64886	8	1	19.50 cm	8.00 cm	2.40 cm	0.070 kg

