

PRODUCT NEWS

wentronic

12 / 2024



DisplayPort™ Cable

especially for gaming, smooth images without judder thanks to high refresh rates



Features

The monitor cable for high-resolution signal transmission with up to 16K @ 60 Hz or 8K @ 120 Hz (4320p) with HDR without compression and a data rate of up to 80 Gbit/s

Especially for gaming. Smooth images without judder thanks to high refresh rates up to 240 Hz (depending on graphics card and monitor)

Robust DisplayPort™ cable for transmitting high-resolution audio and video signals, e.g. from a computer or laptop to a monitor or projector

The cable supports ultrawide transfers and the transmission of separate video signals to multiple monitors via a single DisplayPort™ cable (daisy-chaining)

Supports FreeSync and G-Sync, HDCP 2.2, Dynamic HDR as well as 32 audio channels and many popular audio formats, e.g. DTS-HD Master Audio

Smooth images

through maximum resolution and high refresh rates



High Compatibility

suitable for all devices with a DisplayPort™ socket



DisplayPort™ Cable 1.4, Certified

8K/60Hz, 4K/120Hz, Full HD/240Hz

8K
60 Hz

32.4
Gbit/s

| Availability | Cable length | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|--------------|----------|---------------|---------|--------------------|---------|----------|----------|---------|----------|
| ● exp. from WEEK 51 | 1.00 m | 74777 | 4040849747779 | 9.99 € | 150 | 1 | 14.00 cm | 12.00 cm | 2.00 cm | 0.065 kg |
| ● exp. from WEEK 51 | 2.00 m | 74778 | 4040849747786 | 10.99 € | 90 | 1 | 14.00 cm | 12.00 cm | 3.00 cm | 0.105 kg |
| ● exp. from WEEK 51 | 3.00 m | 74779 | 4040849747793 | 12.99 € | 70 | 1 | 14.00 cm | 12.00 cm | 3.60 cm | 0.145 kg |

DisplayPort™ Cable 2.0

8K/60Hz, 4K/144Hz, Full HD (1080p)/240Hz

8K
60 Hz

40
Gbit/s

| | Availability | Cable length | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|-----------------|---------------------|--------------|----------|---------------|---------|--------------------|---------|----------|----------|---------|----------|
| Essential (CCS) | ● exp. from WEEK 03 | 1.00 m | 74743 | 4040849747434 | 6.99 € | 60 | 10 | 17.00 cm | 23.00 cm | 1.00 cm | 0.068 kg |
| | ● exp. from WEEK 03 | 2.00 m | 74744 | 4040849747441 | 9.99 € | 50 | 10 | 17.00 cm | 23.00 cm | 1.50 cm | 0.110 kg |
| | ● exp. from WEEK 03 | 3.00 m | 74745 | 4040849747458 | 12.99 € | 40 | 10 | 20.00 cm | 26.00 cm | 2.00 cm | 0.154 kg |
| | ● exp. from WEEK 03 | 5.00 m | 74746 | 4040849747465 | 14.99 € | 24 | 10 | 18.00 cm | 16.00 cm | 3.00 cm | 0.306 kg |
| Standard (CU) | ● exp. from WEEK 03 | 1.00 m | 74747 | 4040849747472 | 8.99 € | 60 | 1 | 17.00 cm | 23.00 cm | 1.00 cm | 0.069 kg |
| | ● exp. from WEEK 03 | 2.00 m | 74748 | 4040849747489 | 11.99 € | 50 | 1 | 12.00 cm | 13.50 cm | 2.00 cm | 0.115 kg |
| | ● exp. from WEEK 03 | 3.00 m | 74749 | 4040849747496 | 14.99 € | 40 | 1 | 20.00 cm | 26.00 cm | 2.00 cm | 0.155 kg |
| | ● exp. from WEEK 03 | 5.00 m | 74750 | 4040849747502 | 19.99 € | 24 | 1 | 18.00 cm | 16.00 cm | 3.00 cm | 0.300 kg |

DisplayPort™ Cable 2.1

10K/60Hz, 8K/120Hz, 4K/144Hz, Full HD (1080p)/240Hz

10K
60 Hz

54
Gbit/s

| | Availability | Cable length | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|-----------------|---------------------|--------------|----------|---------------|---------|--------------------|---------|----------|----------|---------|----------|
| Essential (CCS) | ● exp. from WEEK 03 | 1.00 m | 74751 | 4040849747519 | 9.99 € | 60 | 10 | 15.00 cm | 14.00 cm | 2.00 cm | 0.065 kg |
| | ● exp. from WEEK 03 | 2.00 m | 74752 | 4040849747526 | 11.99 € | 50 | 10 | 16.00 cm | 15.00 cm | 2.00 cm | 0.108 kg |
| | ● exp. from WEEK 03 | 3.00 m | 74753 | 4040849747533 | 14.99 € | 40 | 10 | 16.00 cm | 15.00 cm | 3.00 cm | 0.186 kg |
| | ● exp. from WEEK 03 | 5.00 m | 74754 | 4040849747540 | 18.99 € | 24 | 10 | 20.00 cm | 26.00 cm | 2.50 cm | 0.239 kg |
| Standard (CU) | ● exp. from WEEK 03 | 1.00 m | 74755 | 4040849747557 | 10.99 € | 60 | 1 | 12.00 cm | 12.00 cm | 1.00 cm | 0.064 kg |
| | ● exp. from WEEK 03 | 2.00 m | 74756 | 4040849747564 | 12.99 € | 50 | 1 | 12.50 cm | 12.50 cm | 3.00 cm | 0.106 kg |
| | ● exp. from WEEK 03 | 3.00 m | 74757 | 4040849747571 | 16.99 € | 40 | 1 | 14.00 cm | 14.00 cm | 3.50 cm | 0.190 kg |
| | ● exp. from WEEK 03 | 5.00 m | 74758 | 4040849747588 | 19.99 € | 24 | 1 | 20.00 cm | 26.00 cm | 2.50 cm | 0.240 kg |

DisplayPort™ Cable 2.1

16K/60Hz, 8K/60Hz, 4K/144Hz

16K
60 Hz

80
Gbit/s

| Availability | Cable length | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|--------------|----------|---------------|---------|--------------------|---------|----------|----------|---------|----------|
| ● exp. from WEEK 02 | 1.00 m | 74760 | 4040849747601 | 19.99 € | 150 | 1 | 15.00 cm | 15.00 cm | 2.00 cm | 0.067 kg |
| ● exp. from WEEK 02 | 2.00 m | 74761 | 4040849747618 | 24.99 € | 60 | 1 | 15.00 cm | 15.00 cm | 2.00 cm | 0.142 kg |
| ● exp. from WEEK 02 | 3.00 m | 74762 | 4040849747625 | 29.99 € | 50 | 1 | 16.00 cm | 16.00 cm | 3.00 cm | 0.209 kg |

DisplayPort™ Cable 2.1, Certified

16K/60Hz, 8K/120Hz, 4K/240Hz

16K
60 Hz

80
Gbit/s

| Availability | Cable length | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|--------------|----------|---------------|---------|--------------------|---------|----------|----------|---------|----------|
| ● exp. from WEEK 01 | 1.00 m | 74759 | 4040849747595 | 29.99 € | 70 | 1 | 17.00 cm | 23.00 cm | 1.00 cm | 0.072 kg |

Slim 4-Port USB Hub, USB-A to USB-A

USB 3.2 connector (type A) > 1x USB 3.2 socket (type A),
3x USB 2.0 socket (type A)



Features

The handy USB hub expands one USB-A device port to four connections: As a result, a single tablet or laptop port serves up to four peripheral devices

Compatible with all standard USB-A devices, e.g. smartphones, keyboards, mice, webcams, hard drives (SSD, HDD) or headsets – without the need to install separate drivers

The USB distributor supports SuperSpeed data rates of up to 5 Gbit/s via the USB 3.2 port and up to 480 Mbit/s via each of the other three USB 2.0 inputs

With its extra-compact slim format, the USB splitter fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0

| Availability | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|----------|---------------|--------|--------------------|---------|----------|---------|---------|----------|
| ● exp. from WEEK 52 | 74456 | 4040849744563 | 5.99 € | 200 | 1 | 17.50 cm | 8.00 cm | 1.20 cm | 0.043 kg |

Slim 4-Port USB Hub, USB-A to USB-C™/USB-A

USB 3.2 connector (type A) > 1x USB 3.2 socket (type A),
1x USB-C™ socket, 2x USB 2.0 socket (type A)



Turbo Data Transfer for films, music, photos, etc.



Fast, faster, 5 Gbit/s

10x faster than USB 2.0

USB 3.2 5 Gbit/s

USB 2.0 480 Mbit/s

Features

The handy USB splitter expands one USB-A device port to four connections: As a result, a single tablet or laptop port serves up to four peripheral devices

Compatible with all standard USB devices, e.g. smartphones, keyboards, mice, webcams, hard drives (SSD, HDD) or headsets – without the need to install separate drivers

The USB-C™ adapter supports SuperSpeed data rates of up to 5 Gbit/s via the USB 3.2 connection and up to 480 Mbit/s via each of the other three USB 2.0 inputs

With its extra-compact slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road


With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0

| Availability | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|----------|---------------|--------|--------------------|---------|----------|---------|---------|----------|
| ● exp. from WEEK 52 | 74458 | 4040849744587 | 6.99 € | 200 | 1 | 17.50 cm | 8.00 cm | 1.20 cm | 0.043 kg |

Slim 4-Port USB Hub, USB-C™ to USB-A

USB-C™ connector > 1x USB 3.2 socket (type A),
3x USB 2.0 socket (type A)



Features

The handy USB splitter expands one USB-C™ device port to four connections: As a result, a single tablet or laptop port serves up to four peripheral devices

Compatible with all standard USB devices, e.g. smartphones, Apple MacBook, keyboards, mice, webcams, hard drives (SSD, HDD) or headsets – without the need to install separate drivers

The USB-C™ adapter supports SuperSpeed data rates of up to 5 Gbit/s via the USB 3.2 connection and up to 480 Mbit/s via each of the other three USB 2.0 inputs

With its extra-compact slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0



| Availability | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|----------|---------------|--------|--------------------|---------|----------|---------|---------|----------|
| ● exp. from WEEK 52 | 74457 | 4040849744570 | 6.49 € | 200 | 1 | 17.50 cm | 8.00 cm | 1.20 cm | 0.041 kg |

Slim 4-Port USB Hub, USB-C™ to USB-C™/USB-A

USB-C™ connector > 1x USB 3.2 socket (type A),
1x USB-C™ socket, 2x USB 2.0 socket (type A)



Features

The handy USB splitter expands one USB-C™ device port to one USB-C™ plus three USB-A connections: As a result, a single tablet or laptop port serves up to four peripheral devices

Compatible with all standard USB devices, e.g. smartphones such as the iPhone 16 or Samsung Galaxy, Apple MacBook, keyboards, mice, webcams, hard drives (SSD, HDD) or headsets – without the need to install separate drivers





The USB-C™ adapter supports SuperSpeed data rates of up to 5 Gbit/s via the USB 3.2 connection and up to 480 Mbit/s via each of the other three USB 2.0 inputs

With its extra-compact slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0



-  **5 SuperSpeed data transfer**
-  **Plug & Play without drivers**
-  **Compact design**
-  **Aluminium housing**

| Availability | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|----------|---------------|--------|--------------------|---------|----------|---------|---------|----------|
| ● exp. from WEEK 52 | 74459 | 4040849744594 | 6.99 € | 200 | 1 | 17.50 cm | 8.00 cm | 1.20 cm | 0.040 kg |

Slim 5-Port USB Hub, USB-C™ to USB-C™/USB-A

USB-C™ connector > 1x USB-C™ PD socket,
1x USB 3.2 socket (type A), 1x USB-C™ socket,
2x USB 2.0 socket (type A)



Features

The handy USB splitter expands one USB-C™ device port to two USB-C™ plus three USB-A connections: As a result, a single tablet or laptop port serves up to five peripheral devices

Compatible with all standard USB devices, e.g. smartphones such as the iPhone 16 or Samsung Galaxy, Apple MacBook, keyboards, mice, webcams, hard drives (SSD, HDD) or headsets – without the need to install separate drivers

The USB-C™ adapter supports SuperSpeed data rates of up to 5 Gbit/s via the USB-A connection with USB 3.2 and up to 480 Mbit/s via the other three data inputs with USB 2.0

Up to 100 W of charging power: The second USB-C™ port with Power Delivery (USB-PD) is perfect for connecting a power adapter and supplying the host (e.g. laptop or tablet) in fast charging mode

With its extra-compact slim format, the USB-C™ hub fits in any bag and is a handy companion when travelling or on the road

With high-quality, robust aluminium housing that is pleasant to the touch and exceptionally durable

The USB adapter is compatible with SSD via NVMe, operating systems such as Windows, macOS, Linux or Android and backwards compatible with USB 3.0 and USB 2.0

| Availability | Item no. | EAN | RRP | Pcs./master carton | Pcs./PU | Length | Width | Height | Weight |
|---------------------|----------|---------------|---------|--------------------|---------|----------|---------|---------|----------|
| ● exp. from WEEK 52 | 74460 | 4040849744600 | 13.99 € | 200 | 1 | 17.50 cm | 8.00 cm | 1.20 cm | 0.046 kg |