

# PRODUCT NEWS


wentronic

02 / 2025



# Slim HDMI™ High Speed Cable with Ethernet

4K/60Hz



## Features

The cable is suitable for high-resolution image transmission with Ultra HD at up to 4K @ 60 Hz (backward compatible) and a data rate of up to 18 Gbit/s

Ideally suited for audio and video transmission between TV/monitor and projectors, game consoles (e.g. PlayStation 5, Xbox) or streaming receivers (e.g. Amazon Fire TV, Apple TV)

Ultraslim design with short plug, bend protection and small bending radius for connection in confined spaces, e.g. on the back of devices in front of walls or in furniture

The integrated Ethernet channel (HEC) connects any HDMI™ device to devices in the wired network without a separate internet cable

The CEC function (Consumer Electronics Control) creates flexible operability via only one remote control, e.g. for switching on several paired HDMI™ devices with a single press of a button

Supports 3D and HDR (High Dynamic Range) for excellent, high-contrast picture quality as well as the HDCP 2.2 encryption system

Supports advanced audio features such as eARC (Enhanced Audio Return Channel) and ARC (Audio Return Channel) for easy digital transmission from the TV to a soundbar or hi-fi system

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 09	0.50 m	75292	4040849752926	8.99 €	400	1	10.00 cm	9.00 cm	1.80 cm	0.020 kg
● exp. from WEEK 09	1.00 m	75293	4040849752933	9.99 €	300	1	12.20 cm	12.20 cm	1.80 cm	0.030 kg
● exp. from WEEK 09	2.00 m	75294	4040849752940	12.99 €	160	1	12.50 cm	12.50 cm	2.00 cm	0.040 kg
● exp. from WEEK 09	3.00 m	75295	4040849752957	13.99 €	100	1	13.50 cm	13.50 cm	2.30 cm	0.060 kg
● exp. from WEEK 09	5.00 m	75296	4040849752964	14.99 €	70	1	14.50 cm	14.50 cm	2.50 cm	0.090 kg

# Slim Ultra High Speed HDMI™ Cable with Ethernet

8K/60Hz



## Features

The cable is suitable for high-resolution image transmission with Ultra HD at up to 8K @ 60 Hz (backward compatible) and a data rate of up to 48 Gbit/s

Ideally suited for audio and video transmission between TV/monitor and projectors, game consoles (e.g. PlayStation 5, Xbox) or streaming receivers (e.g. Amazon Fire TV, Apple TV)

Ultraslim design with short plug, bend protection and small bending radius for connection in confined spaces, e.g. on the back of devices in front of walls or in furniture

The integrated Ethernet channel (HEC) connects any HDMI™ device to devices in the wired network without a separate internet cable

The CEC function (Consumer Electronics Control) creates flexible operability via only one remote control, e.g. for switching on several paired HDMI™ devices with a single press of a button


Supports 3D and HDR (High Dynamic Range) for excellent, high-contrast picture quality as well as the HDCP 2.2 encryption system

Supports advanced audio features such as eARC (Enhanced Audio Return Channel) and ARC (Audio Return Channel) for easy digital transmission from the TV to a soundbar or hi-fi system

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 14	0.50 m	75297	4040849752971	9.99 €	400	1	13.00 cm	10.00 cm	1.00 cm	0.018 kg
● exp. from WEEK 14	1.00 m	75298	4040849752988	11.99 €	300	1	13.00 cm	11.00 cm	1.00 cm	0.025 kg
● exp. from WEEK 14	2.00 m	75299	4040849752995	14.99 €	160	1	14.00 cm	12.00 cm	1.00 cm	0.040 kg

# USB-C™ PD GaN Multiport Desktop Charger (65 W)

2x USB-C™ ports (Power Delivery) and  
2x USB-A ports (Quick Charge 3.0)



## Features

With an output of 65 W, the USB-C™ charging adapter is specially designed for energy-intensive devices, from power banks to notebooks

Semiconductors with GaN technology allow for faster, more efficient charging and a lighter, more compact design compared to conventional chargers

The USB-C™ charger supplies up to four devices at once and offers a space-saving alternative to bulky laptop power adapters

The fast charging mode powers laptops such as the Apple MacBook via USB-C™ Power Delivery, simultaneously charging smartphones via USB-A Quick Charge at high speed

The super-compact design of the charging station blends seamlessly into the desktop landscape and ensures a clean look without cable clutter

For extra discreet use, the desktop charger can also be attached under the desk using separate tools or stickers

Compatible with laptop brands such as Lenovo, HP, Dell, smartphones such as the Apple iPhone (from iPhone 15) and tablets such as the Apple iPad or Samsung Galaxy Tab

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 09	65813	4040849658136	44.99 €	40	1	12.20 cm	12.10 cm	4.50 cm	0.325 kg

# USB-C™ Textile Cable, 60 W, Power Delivery

USB-C™ connector > 2x USB-C™ connector



## Features

The USB-C™ charger cable can charge up to two connected USB-C™ devices with a total of 60 W, e.g. a smartphone, tablet, laptop, Bluetooth headphones or smartwatch, using just one USB port

With the Power Delivery fast-charging mode, the USB cable charges devices at top speed – for optimised charging current and ultra-short charging times

The first branching of the cable provides up to 60 W of power and 480 Mbit/s of Hi-Speed data transfer, while the second branching transfers 15 W of power

Perfect for on the go and much handier than two individual cables: Thanks to the branching, there are no cable nodes and the USB-C™ cable is easy to transport

High-quality design with metal connectors for a sophisticated look and exceptional durability

The USB charging cable is compatible with smartphones, tablets or laptops from common manufacturers and also supports the charging function of the Apple MacBook and iPhone (from iPhone 15)

The cable length of the two branches is 30 cm each, total length of the USB charger cable: 1.5 m

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 09	1.50 m	75739	4040849757396	9.99 €	240	1	12.50 cm	9.50 cm	2.50 cm	0.067 kg

# USB-C™ to HDMI™ Textile Cable 4K @ 60 Hz

USB-C™ connector > HDMI™ connector (type A)



## Laptop to Monitor

gaming & streaming with  
top speed of 18 Gbit/s



### Features

The USB-C™ to HDMI™ cable supports razor-sharp resolutions up to 4K @ 60 Hz on a monitor, TV or projector

Perfect for high-quality image and sound transmission from USB-C™-enabled devices to HDMI™ terminals, e.g. for gaming, home cinema or at work

With up to 18 Gbit/s, the HDMI™ cable ensures lightning-fast data transmission, e.g. for HD streaming from smartphones, notebooks, tablets and other USB-C™ host devices

Supports HDCP 2.2, ensuring smooth transmission of encrypted UHD content

For full flexibility: The USB plug (USB 3.1) directly connects to ports with Thunderbolt™ 4 or Thunderbolt™ 3 and is compatible with the Apple iPhone 15, iPhone 16 or Apple iPad

The USB-C™ to HDMI™ adapter cable is extremely hard-wearing and durable thanks to the reinforced aluminium housings and braided textile jacket

The USB-C™ cable is unidirectional and exclusively transmits from a USB-C™ source to an HDMI™ target device

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	1.00 m	75699	4040849756993	17.99 €	60	1	14.10 cm	18.80 cm	2.50 cm	0.083 kg
● available	2.00 m	75700	4040849757006	19.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.114 kg
● available	3.00 m	75701	4040849757013	21.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.143 kg

# USB-C™ to HDMI™ Cable 4K @ 60 Hz

USB-C™ connector > HDMI™ connector (type A)



## Match for the Meeting

the one-cable solution for brilliant image & sound transmission



### Features

The USB-C™ to HDMI™ adapter cable supports razor-sharp resolutions up to 4K @ 60 Hz on a monitor, TV or projector

Perfect for high-quality image and sound transmission from USB-C™-enabled devices to HDMI™ terminals, e.g. for gaming, home cinema or at work

With up to 18 Gbit/s, the HDMI™ cable ensures lightning-fast data transmission, e.g. for HD streaming from smartphones, notebooks, tablets and other USB-C™ host devices

Supports HDCP 2.2, ensuring smooth transmission of encrypted UHD content

For full flexibility: The USB plug (USB 3.1) directly connects to ports with Thunderbolt™ 4 or Thunderbolt™ 3 and is compatible with the Apple iPhone 15, iPhone 16 or Apple iPad

The USB-C™ cable is unidirectional and exclusively transmits from a USB-C™ source to an HDMI™ target device

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	1.00 m	75696	4040849756962	14.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.0778 kg
● available	2.00 m	75697	4040849756979	16.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.1049 kg
● available	3.00 m	75698	4040849756986	18.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.1352 kg

# USB-C™ to DisplayPort™ Textile Cable 4K @ 60 Hz

USB-C™ connector > DisplayPort™ connector



## 4K Ultra HD

maximum sharpness for excellent UHD picture quality



## Features

The USB-C™ to DisplayPort™ cable (DisplayPort™ 1.2) supports sharp resolutions up to 4K @ 60 Hz on a monitor, TV or projector

Perfect for high-quality image and sound transmission from USB-C™-enabled devices to DisplayPort™ terminals, e.g. for gaming, home cinema or at work

With up to 21.6 Gbit/s, the DisplayPort™ cable ensures lightning-fast data transfer, e.g. for HD streaming from smartphones, notebooks, tablets and other USB-C™ host devices

Supports HDCP 2.2 for smooth transmission of encrypted UHD content, supports devices with DP Alt Mode and MST (Multi-Stream Transport) for daisy-chaining

For full flexibility: The USB plug (USB 3.1) directly connects to ports with Thunderbolt™ 4 or Thunderbolt™ 3 and is compatible with the Apple iPhone 15, iPhone 16 or Apple iPad

The DP cable is extremely hard-wearing and durable thanks to the reinforced aluminium housings and braided textile jacket

The USB-C™ cable is unidirectional and exclusively transmits from a USB-C™ source to a DisplayPort™ target device

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	1.00 m	75707	4040849757075	17.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.083 kg
● available	2.00 m	75708	4040849757082	19.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.113 kg
● available	3.00 m	75709	4040849757099	21.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.145 kg



# USB-C™ to DisplayPort™ Cable 4K @ 60 Hz

USB-C™ connector > DisplayPort™ connector



## High Compatibility

to ports with DisplayPort™ & USB-C™ as well as Thunderbolt™ 4 & 3



## Features

The USB-C™ to DisplayPort™ Adapter cable (DisplayPort™ 1.2) supports sharp resolutions up to 4K @ 60 Hz on a monitor, TV or projector

Perfect for high-quality image and sound transmission from USB-C™-enabled devices to DisplayPort™ terminals, e.g. for gaming, home cinema or at work

With up to 21.6 Gbit/s, the DisplayPort™ cable ensures lightning-fast data transfer, e.g. for HD streaming from smartphones, notebooks, tablets and other USB-C™ host devices

Supports HDCP 2.2 for smooth transmission of encrypted UHD content, supports devices with DP Alt Mode and MST (Multi-Stream Transport) for daisy-chaining

For full flexibility: The USB plug (USB 3.1) directly connects to ports with Thunderbolt™ 4 or Thunderbolt™ 3 and is compatible with the Apple iPhone 15, iPhone 16 or Apple iPad

The USB-C™ cable is unidirectional and exclusively transmits from a USB-C™ source to a DisplayPort™ target device

Availability	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	1.00 m	75704	4040849757044	14.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.076 kg
● available	2.00 m	75705	4040849757051	16.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.076 kg
● available	3.00 m	75706	4040849757068	18.99 €	60	1	18.80 cm	14.10 cm	2.50 cm	0.133 kg

# Eco Charger Multi Recycled (Type 57682)

charges up to 8x AA batteries or AAA batteries (NiMH)  
simultaneously



## Features

Charger for 1-8 rechargeable AA batteries or AAA batteries

VARTA's most sustainable charging solution thanks to the eco-friendly housing 75 % of which is made of recycled materials

Individual charging channels for the flexible charging of single double-A batteries (HR6) or triple-A batteries (HR03) – only 1 h charging time for 2x AA with 1600 mAh

With comprehensive safety features: minus delta V cut-off, safety timer, wrong polarity and short-circuit protection, alkaline and bad cell detection

The handy charging indicator with green LEDs shows the activity of the individual slots in the battery charger

Applicable worldwide thanks to a voltage range of 100-240 V (AC) – charging cable USB-C™ to USB-C™ included, 1 m long

Its compact size of 135 x 230 x 35 mm makes the battery charger the perfect travel companion

Availability	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● available	76557	4008496073740	38.99 €	4	1	23.00 cm	13.50 cm	3.50 cm	0.290 kg

# Type 2 Charging Cable, up to 11 kW

20 A, 3 phases, for charging hybrid and electric cars with Type 2 connection



## Features

The Type 2 charging cable from LAPP allows easy and fast charging with up to 11 kW at a public or private charging station or wallbox.

Thanks to the 3-phase cable design, the cable charges particularly quickly and also supports 1-phase charging with 3.7 kW

Highly robust, vehicle-resistant cables and plugs with silver-plated contacts provide extra durability

The cover cap on the vehicle-side coupling protects against ingress of dust, dirt and water in between charges.

Oil-resistant and longitudinally watertight EV charging cable with high moisture protection according to IP55, operating temperature -40 °C to 50 °C

The Type 2 to Type 2 EV charging cable is space-saving and easy to handle thanks to its light weight

Mode 3 charging cable manufactured according to current IEC and EN standards, compatible with European vehicles and charging stations as well as with CCS connections (Combo 2)

### orange

Availability	Model	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 00	5555934051	3.00 m	75743	4064729226192	139.95 €	48	1	39.00 cm	39.00 cm	9.70 cm	2.000 kg
● exp. from WEEK 00	5555934049	10.00 m	75744	4064729169154	199.95 €	28	1	39.00 cm	38.50 cm	9.70 cm	3.670 kg

### black

Availability	Model	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 00	5555934052	3.00 m	75747	4064729226208	139.95 €	48	1	39.00 cm	39.00 cm	9.70 cm	2.000 kg
● exp. from WEEK 00	5555934050	10.00 m	75748	4064729169161	199.95 €	28	1	39.00 cm	38.50 cm	9.70 cm	3.670 kg

# Type 2 Self-Retracting Charging Cable, up to 22 kW

32 A, 3 phases, for charging hybrid and electric cars with Type 2 connection



## Features

Patented, self-retracting cable with shape memory that rolls up in a helical shape after use and is quickly stored away - without tangling

The Type 2 charging cable from LAPP allows easy and fast charging with up to 22 kW at a public or private charging station or wallbox.

High compatibility: In addition to 3-phase charging with 11 kW, the cable also supports 1-phase charging with 7.4 kW and 3.7 kW

Highly robust, vehicle-resistant cables and plugs with silver-plated contacts provide extra durability

Oil-resistant and longitudinally watertight EV charging cable with high moisture protection according to IP55, operating temperature -40 °C to 50 °C

The Type 2 to Type 2 EV charging cable is space-saving and easy to handle thanks to its light weight.

Mode 3 charging cable manufactured according to current IEC and EN standards, compatible with European vehicles and charging stations as well as with CCS connections (Combo 2)

### orange

Availability	Model	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 00	5555934042	3.00 m	75745	4064728488621	189.95 €	48	1	39.00 cm	39.00 cm	9.70 cm	2.810 kg
● exp. from WEEK 00	5555934053	7.00 m	75746	4064729226215	239.95 €	48	1	39.00 cm	39.00 cm	9.70 cm	3.582 kg

### black

Availability	Model	Cable length	Item no.	EAN	RRP	Pcs./master carton	Pcs./PU	Length	Width	Height	Weight
● exp. from WEEK 00	5555934039	3.00 m	75749	4064728471296	189.95 €	48	1	39.00 cm	39.00 cm	9.70 cm	2.810 kg
● exp. from WEEK 00	5555934054	7.00 m	75750	4064729226222	239.95 €	48	1	39.00 cm	39.00 cm	9.70 cm	3.582 kg

\* After use, the 7 metre variant retracts into the shape of two spirals. The two cable spirals can be stacked on top of each other to save space.